Claims:

A composite of a vulcanizable rubber or rubber-type composition
having at least one metal reinforcement element embedded therein, wherein said
metal reinforcement elements have a coating of a polymer deposited from a
solution and are compatible with and co-polymerizable with said vulcanizable
rubber composition, and

bearing functional groups covalently bonding to the metal surface of said reinforcement element.

10

- A composite according to claim 1, wherein said solution is an aqueous solution.
- A composite according to claim 1, wherein said solution is an alcoholic solution.
  - A composite according to claim 1, wherein said solution is an organic solution.
- A composite according to claim 1, wherein said metal reinforcement elements have a coating of a non-cured rubber composition.
  - A composite according to claim 1, wherein said metal reinforcement elements are co-vulcanizable with said vulcanizable rubber composition.

25

 A composite according to claim 1, wherein said metal reinforcement elements are crosslinkable with said vulcanizable rubber composition.

- 8. A composite according to claim 1, wherein said functional groups form covalent bonds with the outward directed first functional groups of a molecular layer of a bifunctional adhesion promoter which is intercalated between said metal reinforcement elements and said coating and is bound to said metal
  5 reinforcement elements by its second functional groups.
  - A composite according to claim 1, wherein said metal reinforcement elements comprise on top of said coating, a layer of a skim composition for the vulcanizable rubber or rubber-like composition.
  - 10. A composite according to claim 1 wherein the vulcanizable rubber composition to be reinforced is a composition selected from the group consisting of a synthetic poly(isoprene), a natural poly(isoprene), a synthetic poly(butadiene), natural poly(butadiene), a styrene-butadiene-rubber (SBR), a halobutylrubber, or an ethylene-propylene-diene-rubber (EPDM).
  - A composite according to claim 1, wherein said metal reinforcement element is an elongated steel element.
- 20 12. A composite according to claim 11, wherein said elongated steel element is coated with at least one metallic layer.
- A composite according to claim 12, wherein said metallic layer is comprised of a metal selected from the group consisting of brass, bronze, zinc,
   zinc alloy, tin or tin alloy.
  - 14. A composite according to claim 13, wherein said zinc alloy is an alloy selected from the group consisting of a zinc-aluminium alloy, a zincaluminium-mischmetal alloy, a zinc-manganese alloy, a zinc-cobalt alloy, a zinc-nickel alloy, a zinc-iron alloy or a zinc-tin alloy.

- 15. A composite according to claim 5, wherein said non-cured rubber composition is comprised of matter selected from the group consisting of a synthetic poly(isoprene), a natural poly(isoprene), a synthetic poly(butadiene), a natural poly(butadiene), a synthetic elastomer or a thermoplastic elastomer.
- 16. A composite according to claim 1 wherein said polymer bonds directly to the metal surface and has functional groups selected from the group consisting of:
- 10 thiol groups, mercapto groups, silanes, amines,

```
-SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br; -SiBr<sub>3</sub>; -Si(R'(Cl)<sub>2</sub>); -Si(OR')<sub>3</sub>; -Si(R'(OR')<sub>2</sub>); -COOH; -COCl;
```

-PO<sub>3</sub>H<sub>2</sub>, -SO<sub>2</sub>H,

acid anhydrides of -SH; -SiHCl2; -SiH2Cl; -Si(Cl)3; -SiHBr2; -SiH2Br; -

 $SiBr_3; -Si(R'(Cl)_2); -Si(OR')_3; -Si(R'(OR')_2); -COOH; -COCl; \\$ 

 $\text{-PO}_3\text{H}_2,\,\text{-SO}_2\text{H},$ 

acid chloride groups of -SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br;

 $-SiBr_3; -Si(R'(Cl)_2); -Si(OR')_3; -Si(R'(OR')_2); -COOH; -COCl; \\$ 

-PO<sub>3</sub>H<sub>2</sub>, -SO<sub>2</sub>H,

organometallic groups of the formula  $-M(OR^2)_n$ , whereby M is a metal selected from the group consisting of Al, Sn, B, Ti and V; and n is the ligand number corresponding to the metal M; and

a phthalocyanin, phthalonitril groups, a monothiol, or monothiolate groups; and R' is an alkyl selected from the group consisting of methyl, ethyl or

25 propyl.

17. A composite according to claim 1 wherein said polymer bonds to the intercalated adhesion promoter and has functional groups comprising thiol groups, mercapto groups, silanes, amines.

-SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHB<sub>r2</sub>; -SiH<sub>2</sub>Br; -SiB<sub>r3</sub>; -Si(R'(Cl)<sub>2</sub>); 5 -Si(OR')<sub>5</sub>; -Si(R'(OR')<sub>2</sub>); -COOH; -COCl;

-PO<sub>3</sub>H<sub>2</sub>, -SO<sub>2</sub>H,

acid anhydride groups of -SH; -SiHCl2; -SiH2Cl; -Si(Cl)3; -SiHBr2; -

 $SiH_2Br; -SiBr_3; -Si(R'(Cl)_2); -Si(OR')_3; -Si(R'(OR')_2); -COOH; -COCl;$ 

-PO<sub>3</sub>H<sub>2</sub>, -SO<sub>2</sub>H,

10 acid chloride groups of -SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br; -SiBr<sub>3</sub>; -Si(R'(Cl)<sub>2</sub>); -Si(OR')<sub>3</sub>; -Si(R'(OR')<sub>2</sub>); -COOH; -COCl;

-PO<sub>3</sub>H<sub>2</sub>, -SO<sub>2</sub>H,

a phthalocyanin, phthalonitril groups, a monothiol, or monothiolate groups; wherein R' is an alkyl selected from the group consisting of methyl, ethyl or propyl; and

said functional groups are terminal groups.

- A composite according to claim 17, wherein said functional groups are carried along a polymer backbone.
- A composite according to claim 17, wherein said functional groups are part of side chains of the polymer.
- 20. A composite according to claim 18, wherein said functional groups25 are epoxy groups carried along the polymer backbone.
  - A composite according to claim 18, wherein said functional groups are epoxy groups which are part of side chains attached to the polymer backbone.

The state of the s

10

15

20

- 22. A composite according to claim 16, wherein said organometallic groups are of the formula -M(Cl)<sub>n</sub>
- 23. A composite according to claim 5, wherein said non-cured rubber composition comprises common vulcanization additives and curing systems.
  - A composite according to claim 1, wherein said polymer is bound to 24. said metal surface by an adhesion promoter that is a bifunctional compound of the general formula (I)

X-(R)n-(Ar)l-(R)m-Y

with x representing a group capable of reacting covalently at the metal surface

R representing an organic spacer chain,

Ar representing an aromatic system,

Y representing a group capable of forming covalent bonds to the functional groups of said coating, and  $0 \le n$ ,  $m \le 16$ ; and  $0 \le l \le 6$ .

- 25. A composite according to claim 24, wherein A represents a heteroaromatic system.
  - 26. A composite according to claim 24 wherein

X is a functional group selected from the group consisting of-SH; -SiHCl<sub>2</sub>;  $-SiH_2Cl; -Si(Cl)_3; -SiHBr_2; -SiH_2Br; -SiBr_3; -Si(R'(Cl)_2); -Si(OR')_3; -Si(Cl)_2 -Si(OR')_3 -Si(Cl)_2 -Si(OR')_3 -Si(OR')_3$ 

Si(R'(OR')<sub>2</sub>); -COOH; -COCl; -PO<sub>3</sub>H<sub>2</sub>, -SO<sub>2</sub>H; an organometallic group of the formula -M(OR')<sub>n</sub>, whereby M is a metal selected from the group consisting of Al, Sn, B, Ti and V and n is the ligand number corresponding to the metal M; a phthalocyanin; a phthalonitril group; a monothiol; or a monothiolate group;

R' is an alkyl

Y is a functional group selected from the group consisting of  $NH_2$ , NHR';  $NR'_2$ , an unsaturated residue; an acrylic acid group; a methycrylic acid group; methyl esters or ethyl esters;

-CN is a functional group selected from the group consisting of an activated carboxylic ester; an aldehyde group; an epoxide group;-SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br; -SiBr<sub>3</sub>; -Si(R'(Cl)<sub>2</sub>); -Si(OR')<sub>3</sub>; -Si(R'(OR')<sub>2</sub>); -COOH; -COCl; or a functional group capable of forming a complex with at least one ingredient of a non-metallic medium;

R represents -CH2-; and

10 AR represents an aromatic system.

- A composite according to claim 26, wherein AR represents a heteroaromatic system.
- 28. A composite according to claim 26, wherein R represents a -(CH<sub>2</sub>)-chain;  $2 \le n \le 20$ ; and said chain may be unhalogenated, may contain aromatic units, and may comprise constituents selected from the group consisting of: (CH<sub>2</sub>)<sub>i</sub>CH<sub>3</sub> where  $0 \le i \le 5$ , -O(CH<sub>2</sub>)<sub>i</sub>CH<sub>3</sub>, or -O(CF<sub>2</sub>)<sub>i</sub>CH<sub>3</sub> where  $0 \le j \le 4$ , -CN and -NH<sub>2</sub>; -CF<sub>2</sub>-; -CH<sub>2</sub>-CO-NH-CH<sub>2</sub>-; -CF<sub>2</sub>-CO-NH-CF<sub>2</sub>-; -CH<sub>2</sub>-CO-NH-CF<sub>2</sub>-; CF<sub>2</sub>-CO-NH-CH<sub>2</sub>- where  $0 \le n$  and  $m \le 16$ .
  - A composite according to claim 28, wherein said chain may be partially halogenated.
- 25 30. A composite according to claim 28, wherein said chain may be perhalogenated.
  - A composite according to claim 28, wherein said chain may contain thiophen units.

- 32. A composite according to claim 28, wherein said aromatic units may comprise constituents selected from the group consisting of:  $-(CH_2)_jCH_3$  where  $0 \le i \le 5$ ,  $-O(CH_2)_jCH_3$ , or  $-O(CF_2)_iCH_3$  where  $0 \le j \le 4$ , -CN and  $-NH_2$ ;  $-CF_2$ -;  $-CH_2$ -CO-NH-CH<sub>2</sub>-;  $-CF_2$ -CO-NH-CF<sub>2</sub>-;  $-CH_2$ -CO
- 33. A composite according to claim 31, wherein said thiophen units may comprise constituents selected from the group consisting of: -(CH<sub>2</sub>)<sub>1</sub>CH<sub>3</sub> where 0 ≤ i ≤ 5, -O(CH<sub>2</sub>)<sub>1</sub>CH<sub>3</sub>, or -O(CF<sub>2</sub>)<sub>1</sub>CH<sub>3</sub> where 0 ≤ j ≤ 4, -CN and -NH<sub>2</sub>; -CF<sub>2</sub>-; -10 CH<sub>2</sub>-CO-NH-CH<sub>2</sub>-; -CF<sub>2</sub>-CO-NH-CF<sub>2</sub>-; -CH<sub>2</sub>-CO-NH-CF<sub>2</sub>-; CF<sub>2</sub>-CO-NH-CH<sub>2</sub>-where 0 ≤ n and m ≤ 16.
  - 34. A composite according to claim 26, wherein X is a functional group selected from the group consisting of the acid anhydride group of -SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -Si(Br<sub>2</sub>; -SiH<sub>2</sub>Br; -SiBr<sub>3</sub>; -Si(R'(Cl)<sub>2</sub>); -Si(OR')<sub>3</sub>; -Si(R'(OR')<sub>2</sub>); -COOH; -COCl; -PO<sub>3</sub>H<sub>2</sub>, or -SO<sub>2</sub>H.
  - 35. A composite according to claim 26, wherein X is a functional group selected from the group consisting of the acid chloride group of -SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br; -SiBr<sub>3</sub>; -Si(R'(Cl)<sub>2</sub>); -Si(OR')<sub>3</sub>; -Si(R'(OR')<sub>2</sub>); -COOH; -COCl; -PO<sub>3</sub>H<sub>3</sub>, or -SO<sub>2</sub>H.
  - 36. A composite according to claim 26, wherein R' is an alkyl selected from the group consisting of methyl, ethyl or propyl.
  - A composite according to claim 26, wherein said organometallic group is of the formula -M(Cl)<sub>n</sub>.
- A cured rubber or rubber-like composition obtained by
   vulcanization of a composite according to claim 1.

- A composition according to claim 38, wherein said composition is a pneumatic tire.
- 5 40. A composition according to claim 38, wherein said composition is a hose.
  - 41. A composition according to claim 38, wherein said composition is a conveyor belt.

42. A composition according to claim 38, wherein said composition is a pulley belt.